

GLOSS HAIR SERUM

PHASE	INGREDIENTS	PROVIDER	INCI	(wt-%)
A	S FACE 10G-L	Sakamoto Yakuhin Kogyo	Polyglyceryl-10 Laurate	0.80
	S FACE 10G-M	Sakamoto Yakuhin Kogyo	Polyglyceryl-10 Myristate	3.00
	DIGLYCERIN S	Sakamoto Yakuhin Kogyo	Diglycerin	16.00
			Fragrance	0.30
	O.D.O.	Nisshin OilliO	Caprylic/Capric Triglyceride	0.30
B	QUARTAMIN D-2345P	Kao Corp.	Di-C12-18 Alkyl Dimonium Chloride/ Isopropyl Alcohol/Water	0.133
	WATER		Water	74.48
			Sodium Benzoate	0.20
C	WATER		Water	1.48
	BIOSPHINGO	Kikkoman Biochemifa	Glycosphingolipids	0.002
	CAE	Ajinomoto	PCA Ethyl Cocoyl Arginate	0.015
	CATINAL LC-200S 2%sol.		Polyquaternium-10	3.29
Total				100,00

1/ Add phase B to the main vessel, and stir to make uniform.

2/ Add phase A to another vessel, and melt at 75~85°C.

3/ Mix phase B with a propeller and add the phase A little by little until uniformity.

4/ Add phase C to the main vessel, mix until uniformity, cool the bulk down and fill into suitable containers.