

TINTED LIP SERUM

PHASE	INGREDIENTS	PROVIDER	INCI	(wt-%)
A	S FACE IS-1005P	Sakamoto Yakuhin Kogyo	Polyglyceryl-10 Pentaisostearate	28.00
	S FACE IS-1009P	Sakamoto Yakuhin Kogyo	Polyglyceryl-10 Decaisostearate	21.00
	VISTANOL GDHR-PURE	Seiwa Kasei	Glyceryl Diisostearate/Hydrogenated Rosinate	10.00
	ADEKA NOL OUH-21 ECO	ADEKA	Polyglyceryl-2 Diisostearate/IPDI Copolymer, Polyglyceryl-2 Diisostearate	19.50
	PHYTOSQUALANE	Sophim	Squalane	10.00
	RHEOPEARL KL2	Chiba Flour Milling	Dextrin Palmitate	4.00
	PHENOXYETHANOL-S	Yokkaichi Chemical	Phenoxyethanol	0.50
B	HP IRON OXIDE RED ISA(50%) + S FACE IS-1009P(50%)	K.S. Pearl + Sakamoto Yakuhin Kogyo	Iron Oxides, Isostearic Acid + Polyglyceryl-10 Decaisostearate	2.00
	PEARL STARCH (H)	Japan Corn Starch	Zea Mays (Corn) Starch, Zinc Stearate	2.00
	SYN-MICA HP1	K.S. Pearl	Synthetic Fluorphlogopite	3.00
Total				100.00

- 1/ Add phase A to a main vessel.
- 2/ Add phase B into the main vessel.
- 3/ Heat up to 80-90°C, while stirring to reach a uniform mix.
- 4/ Fill into suitable packagings.