

# CC ON THE GO

PHASE	INGREDIENTS	PROVIDER	INCI	(wt-%)
A	S FACE IS-204P	Sakamoto Yakuhin Kogyo	Polyglyceryl-2 Tetraistearate	20.00
	S FACE IS-201P	Sakamoto Yakuhin Kogyo	Polyglyceryl-2 Isostearate	5.00
	CETIOL ULTIMATE	BASF	Undecane, Tridecane	12.00
	O.D.O.	Nisshin Oillio	Caprylic/Capric Triglyceride	12.00
	SUNFLOWER WAX	Yokozeki Oil&Fat Industries	Helianthus Annuus (Sunflower) Seed Wax	12.00
B	TIO2 CR-50 ST	K.S. Pearl	Titanium Dioxide, Aluminum Hydroxide, Isopropyl Titanium Triisostearate	9.00
	HP IRON OXIDE Y-BROWN ST	K.S. Pearl	Iron Oxide, Isopropyl Titanium Triisostearate	1.00
	MICA GH	K.S. Pearl	Mica	5.00
C	SILICA L-51	K.S. Pearl	Silica	4.00
	SHP-6	JFE Mineral & Alloy	Boron Nitride	4.00
	FL-HAP-SC	Taihei Chemicals	Hydroxyapatite	1.00
D	DIGLYCERIN S	Sakamoto Yakuhin Kogyo	Diglycerin	3.00
	PROLICELL SHINESTEM WS	ACTV	Glycerin, Houttuynia Cordata Extract, Houttuynia Cordata Callus Extracellular Vesicles, Sodium Benzoate Potassium Sorbate	2.00
	WATER		Water	10.00
	NOI = 0.99		Total	100.00

1/ Weight phase A, heat it to more than 90°C to dissolve all ingredients.

2/ Weight phase B and mix well with powder mixer.

3/ Add phase B into phase A+C while dispersing until uniform.

4/ Mix phase D and add it to phase A+B+C. Homogenize.

5/ Fill the bulk into suitable packagings.